Hydrocarbon management

HM 27

A guide to gas metering systems

3rd edition



HM 27 A GUIDE TO GAS METERING SYSTEMS

Third edition

October 2024

Published by **Energy Institute, London**

The Energy Institute is a professional membership body incorporated by Royal Charter 2003 Registered charity number 1097899 The Energy Institute (EI) is the chartered professional membership body for the energy industry, supporting over 23 000 individuals working in or studying energy and 200 energy companies worldwide. The EI provides learning and networking opportunities to support professional development, as well as professional recognition and technical and scientific knowledge resources on energy in all its forms and applications.

The El's purpose is to develop and disseminate knowledge, skills and good practice towards a safe, secure and sustainable energy system. In fulfilling this mission, the El addresses the depth and breadth of the energy sector, from fuels and fuels distribution to health and safety, sustainability and the environment. It also informs policy by providing a platform for debate and scientifically-sound information on energy issues.

The EI is licensed by:

- the Engineering Council to award Chartered, Incorporated and Engineering Technician status, and
- the Society for the Environment to award Chartered Environmentalist status.

It also offers its own Chartered Energy Engineer, Chartered Petroleum Engineer, and Chartered Energy Manager titles.

A registered charity, the EI serves society with independence, professionalism and a wealth of expertise in all energy matters.

This publication has been produced as a result of work carried out within the Technical Team of the EI, funded by the EI's Technical Partners. The EI's Technical Work Programme provides industry with cost-effective, value-adding knowledge on key current and future issues affecting those operating in the energy sector, both in the UK and internationally.

For further information, please visit http://www.energyinst.org

The EI gratefully acknowledges the financial contributions towards the scientific and technical programme from the following companies:

ADNOC OMV
BAPCO Ørsted
BP Oil UK Ltd Phillips 66
Chevron North Sea Ltd Prax

Chevron Products Company Qatar Petroleum
CNOOC Q8Aviation
Corio Repsol
DCC Energy RWE npower
Drax Group Saudi Aramco

EDF Energy SGS

ENI Shell U.K. Exploration and Production Ltd

Equinor Siemens Gamesa Renewables

Exolum Spirit Energy ExxonMobil International Ltd SSF Harbour Energy **TAQA** Iberdrola TotalEnergies Ithaca Energy Uniper Intertek Valero Marathon Petroleum Corporation Vattenfall Vitol Energy Neptune Energy

Northland Power World Fuel Services

Ocean Winds

Neste

However, it should be noted that the above organisations have not all been directly involved in the development of this publication, nor do they necessarily endorse its content.

Woodside

Copyright © 2024 by the Energy Institute, London.

The Energy Institute is a professional membership body incorporated by Royal Charter 2003.

Registered charity number 1097899, England

All rights reserved

No part of this book may be reproduced by any means, or transmitted or translated into a machine language without the written permission of the publisher.

ISBN 978 1 78725 442 8

Published by the Energy Institute

The information contained in this publication is provided for general information purposes only. Whilst the Energy Institute and the contributors have applied reasonable care in developing this publication, no representations or warranties, express or implied, are made by the Energy Institute or any of the contributors concerning the applicability, suitability, accuracy or completeness of the information contained herein and the Energy Institute and the contributors accept no responsibility whatsoever for the use of this information. Neither the Energy Institute nor any of the contributors shall be liable in any way for any liability, loss, cost or damage incurred as a result of the receipt or use of the information contained herein.

Hard copy and electronic access to EI and IP publications is available via our website, https://publishing.energyinst.org. Documents can be purchased online as downloadable pdfs or on an annual subscription for single users and companies.

CONTENTS

		· ·	Page
Forewor	d		11
Acknow	ledgements		12
Introduc	tion and sco	pe	13
1 De	efinitions an	d symbols	15
1.	1 Quantita	tive and qualitative measurements	15
	1.1.1	Volume	15
	1.1.2	Mass	15
	1.1.3	Density	15
	1.1.4	Ideal relative density	15
	1.1.5	Real relative density (relative density)	16
	1.1.6	Calorific value	
1.2	2 Measurei	ment conditions	16
	1.2.1	Observed measurements	16
	1.2.2	Standard conditions	16
	1.2.3	Line conditions	16
	1.2.4	pTZ method	17
1	3 Flow mea	asurement	
	1.3.1	Flowmeter	17
	1.3.2	Primary device	17
	1.3.3	Secondary device	
	1.3.4	Meter bank	
	1.3.5	Meter run	17
	1.3.6	Meter tube	
	1.3.7	Impulse line	
	1.3.8	Continuous density meter	
	1.3.9	Meter factor	
	1.3.10	Meter K-factor (meter output factor)	
	1.3.11	Meter linearity	
	1.3.12	Meter turndown ratio	
	1.3.13	Fiscal metering system	
1.4		nty and accuracy	
	1.4.1	Accuracy	
	1.4.2	Error.	
	1.4.3	Uncertainty	
	1.4.4	Type A uncertainties	
	1.4.5	Type B uncertainties	
	1.4.6	Precision	
	1.4.7	Resolution	
	1.4.8	Repeatability	
	1.4.9	Repeatability range	
1.5		Repeatability range	
1	J Jyrribuls.		∠∪
2 A	•	general requirements	
2.		ign considerations	
2.2	2 Choice o	f primary device	22

				Page
	2.3	Gas acce	ptability criteria	23
	2.4		nce	
	2.5	Mass, vol	lume and density measurement	24
	2.6	Calibratio	on considerations	24
	2.7	Traceabili	ty of calibration	25
	2.8	Weight a	nd space	26
3	Moto	r system	design	27
3	3.1	-	iteria	
	5.1	3.1.1	Meter system performance	
		3.1.1	Meter types	
		3.1.2	Choice of primary element	
		3.1.4	Process variables	
		3.1.4	System turndown	
	3.2		of meter size and number	
	3.2	3.2.1	Meter number and sizing	
		3.2.1	Advantages of multi-stream metering	
		3.2.3	Disadvantages of multi-stream metering	
		3.2.4	System uncertainty	
		3.2.5	Pressure loss.	
	3.3		nfigurations and valving	
	٥.٥	3.3.1	General considerations	
		3.3.1	Headers	
		3.3.3	Isolation valves	
		3.3.4	Flow conditioners.	
		3.3.5	Flow control	
		3.3.6	Inspection access: general	
		3.3.7	Inspection access: orifice meters	
	3.4		y instrumentation	
	J. 4	3.4.1	General	
		3.4.2	Density measurement.	
		3.4.3	Gas composition instrumentation	
	3.5			
	5.5	3.5.1	General	
		3.5.1	Electrical installation.	
		3.3.2	Electrical installation	
4	Equip		primary measurement	
	4.1		eters	
		4.1.1	General	
		4.1.2	Introduction	
		4.1.3	Basic design criteria	
		4.1.4	Performance	
		4.1.5	Flow equations.	
		4.1.6	Expansibility (expansion) factor	
		4.1.7	Calculation of orifice diameter	
		4.1.8	Meter rangeability	
		4.1.9	Specific design criteria	
		4.1.10	Calculation of uncertainty	
		4.1.11	Selection of method of density determination	41

				Page
		4.1.12	Meter tube design	42
		4.1.13	Flow conditioners	
		4.1.14	Differential pressure tappings	
		4.1.15	Precautions to be taken with wet gases	
	4.2		c meters	
		4.2.1	General	
		4.2.2	Principles of operation	44
		4.2.3	Performance	44
		4.2.4	Flow equations	45
		4.2.5	Application	45
		4.2.6	Selection of method of density determination	46
		4.2.7	Meter tube design	46
		4.2.8	Flow conditioners	47
		4.2.9	Precautions to be taken with wet gases	47
5	Otho	r motorc		10
5	5.1		neters	
	5.1	5.1.1	General	
		5.1.1	Principles of operation	
		5.1.2	Performance	
		5.1.4	Application	
		5.1.5	Installation	
	5.2	01110	neters	
	5.2	5.2.1	General	
		5.2.2	Principles of operation	
		5.2.3	Performance	
		5.2.4	Flow equations.	
		5.2.5	Application	
		5.2.6	Installation	
	5.3		ment meters	
		5.3.1	General	
		5.3.2	Principles of operation	52
		5.3.3	Performance	
		5.3.4	Application	53
		5.3.5	Installation	53
	5.4	Vortex m	eters	53
		5.4.1	General	53
		5.4.2	Principles of operation	53
		5.4.3	Performance	53
		5.4.4	Application	54
		5.4.5	Installation	
	5.5		zzles	
		5.5.1	Principles of operation	
		5.5.2	Performance	
		5.5.3	Application	
		5.5.4	Installation	
	5.6		ner common meters	
		5.6.1	General	
		5.6.2	Venturi tube meters	55

			I	Page
		5.6.3	Cone meters	56
		5.6.4	Clamp-on ultrasonic meters	
6	Calib	ration an	d proving	57
	6.1			
	6.2		alibrationalibration	
	6.3		proving	
		6.3.1	General	
		6.3.2	Master and transfer meter methods	58
7	Secor	ndary inst	trumentation	60
	7.1		ial pressure transmitters (DPTs)	
		7.1.1	General	60
		7.1.2	Single range DPTs	60
		7.1.3	Multi-range DPTs	60
		7.1.4	Installation	61
	7.2	Temperat	ture measurement	
		7.2.1	General	
		7.2.2	Installation	
	7.3	Pressure i	measurement	
		7.3.1	General	
		7.3.2	Installation	
	7.4	,	neasurement	
		7.4.1	General	
		7.4.2	Methods of determining density at line conditions	
	7.5		ous measurement of density	
		7.5.1	General	
		7.5.2	Vibrating element density transducer	
	7.6		method	
	7.7		ment of relative density	
	7.8		on of line density transducers	
		7.8.1	General	
		7.8.2	Installation for orifice meters	
		7.8.3	Installation for ultrasonic meters.	
	7.0	7.8.4	Density transducer sampling lines	
	7.9	Redundai	ncy in density measurement	68
8			composition and quality measurement	
	8.1		bling	
		8.1.1	General	
		8.1.2	Installation	
		8.1.3	Sample containers	
		8.1.4	Manual sampling	
		8.1.5	Automatic sampling	
	0.0	8.1.6	Types of automatic samplers	
	8.2		ment of composition	
		8.2.1	Principles of gas chromatography	
		8.2.2	Operation	
		8.2.3	Installation	/3

				Page
	8.3	Measure	ement of calorific value	74
		8.3.1	General	74
	8.4		ement of Wobbe index	
	8.5	Measure	ement of hydrocarbon dewpoint	
		8.5.1	General	
		8.5.2	Direct measurement	75
	8.6	Measure	ement of water dewpoint	
		8.6.1	General	
		8.6.2	Water dewpoint measurement	
		8.6.3	Moisture measurement	
		8.6.4	Calibration of moisture analysers	
	8.7		ement of contaminants	
		8.7.1	General	
		8.7.2	Hydrogen sulfphide analysis – lead acetate method	
		8.7.3	Hydrogen sulfide analysis – ultraviolet absorption	
		8.7.4	Hydrogen sulfide analysis – electrochemical cell	
		8.7.5	Total sulfur – hydrogenation method	
		8.7.6	Total sulfur – electrochemical method	
		8.7.7	Sulfur by gas chromatography and flame photometric detector	
		8.7.8	Mercury in gas	80
9	Flow	, comput	ation and display	21
_	9.1		mputers	
	5.1	9.1.1	General	
		9.1.2	Performance and security	
		9.1.3	Meter stream computers	
		9.1.4	Meter bank computer	
		9.1.5	Signal types	
		9.1.6	Data transmission	
		9.1.7	Operator interfaces	
		9.1.8	Data logging	
		9.1.9	Data integrity and security	
		9.1.10	Testing	
		9.1.11	Use of process control systems (PCSs) as flow computers	
	9.2	Calculat	tion of gas quantities	86
		9.2.1	General	86
		9.2.2	Standard reference conditions	
		9.2.3	Calculation of volume at line conditions	86
		9.2.4	Calculation of volume at reference conditions	87
		9.2.5	Calculation of mass flow	88
		9.2.6	Calculation of energy flow rate	89
	9.3	Calculat	tion of gas properties	89
		9.3.1	Ideal relative density	89
		9.3.2	Relative density	89
		9.3.3	Calculation of line density (pTZ method)	
		9.3.4	Compressibility factor at reference conditions	
		9.3.5	Compressibility factor at line conditions	91
		9.3.6	Calorific value	91

		Page
	10.2.1 Installation checks 10.2.2 Commissioning Inspection and maintenance 10.3.1 General 10.3.2 Records and control charts	93 93 94 94 94 94
Annexes		
Annex A	Uncertainty calculations A.1 General A.1.1 Overall, random and systematic uncertainty A.1.2 Practical interpretation of uncertainty A.2 Uncertainty of a single orifice meter A.2.1 General equation for uncertainty in flow rate A.3 Uncertainty of a single volumetric meter. A.4 Uncertainty with multiple meter runs A.5 Values of component uncertainties. A.5.1 Orifice meters A.5.2 Volumetric and other meters A.5.3 Density measurement	. 105 . 105 . 106 . 106 . 107 . 108 . 108
Annex B	Orifice plate distortion.B.1Distortion error.B.2Plastic deformation	. 110
Annex C	Effect of flow pulsations on differential pressure meters	. 112
Annex D	Environmental requirements of calorimeters D.1 Recording calorimeter	. 113
Annex E	Density of air at reference conditions	. 115
Annex F	Calorific value notation and conversion factorsF.1NotationF.2Conversion factors	. 116

			Page
Annex G	Tracer r	method for verification	117
	G.1	Tracer methods	
		G.1.1 General	
	G.2	Dilution techniques	
		G.2.1 Constant rate injection method	
		G.2.2 Pulse injection method	
	G.3	Transit time techniques	
		G.3.1 General	
		G.3.2 Transit time method with radioactive tracers	119
Annex H	List of A	Acronyms	120
Annex I	Referer	nces	121
Annex J	Ribliog	raphy	126
Aillick 3	1	API MPMS (AGA, ANSI, ASME, ASTM, GPA)	
	1.7	BSI (EN ISO)	
	13	ISO ISO/TR and IEC STANDARDS	
	1.3	NORSOK	
	1.5	OIML	
	1.6	OGA and NPD	
	1.7	General	

LIST OF FIGURES AND TABLES

Figures	Page
riguies	
Figure 1a	Typical multi-run piping installation
Figure 1b	Installation of meter bank at differing elevation from inlet
Figure 1d	Inlet header arrangement for incomer in 3rd plane
Figure 1d	Inlet header arrangement for good distribution with incomer in any plane
Figure 1e	Non-preferred features in piping installation
	Meter piping arrangement
Figure 2a	Typical collective flow control
Figure 2b	Typical pressure regulation arrangements
Figure 2c	Metering system with two meter runs and flow control valves in individual
	meter run piping
_	Meter piping and valve configuration
Figure 3 Figure 4a	Meter linearity
Figure 4b	Bypass method
Figures 4a–4b	Density transducer installation for orifice meter
Figure 5a	Typical sample probe with integral valving
Figure 5b	Arrangement for manual sampling and sample takeoff
Figures 5a–5b	Typical sampling probe and manual sampling system
Figure 6	Typical fast-loop sampling system for gas chromatographs
	and analysers
Figure 7	Effect of orifice plate distortion on measurement uncertainty
Figure 8	Ultrasonic meter piping and control valve layout
Tables	
Table 1	Examples of analogue, digital and serial (protocol) instrument signals 83
Table 2	Key features of primary devices
Table 3	Table of values of constants <i>a</i> and <i>b</i> as functions
Table 4	The properties and density of air at various internationally used reference conditions

FOREWORD

Measurement accuracy is essential in the sale, purchase and handling of petroleum products. It avoids disputes between buyer and seller and provides control over losses. Accurate measurement involves the use of standard equipment and procedures that are traceable to national reference standards.

The Energy Institute (EI) Hydrocarbon Management Committee is responsible for the production and maintenance of standards and guidelines covering various aspects of static and dynamic measurement of petroleum. The EI maintains liaison with parallel working groups of the American Petroleum Institute's (API) Committee on Petroleum Measurement, and other organisations concerned with quantitative measurement in other countries and in other industries.

The EI Hydrocarbon Management Guidelines (formerly Petroleum Measurement Manual and Petroleum Measurement Papers) are widely used by the petroleum industry and have received recognition in many countries by consumers and the authorities. In order to promote international good practice, the EI works via the British Standards Institute (BSI) to develop standards through the International Organization for Standardization (ISO) technical committee ISO/TC 28 Petroleum and Related Products, Fuels and Lubricants from Natural or Synthetic Sources and its sub-committee ISO TC28/SC2 - Measurement of Petroleum and Related Products.

A full list of Hydrocarbon Management guidelines is available on request from the El.

The EI Hydrocarbon Management Guidelines are recommended for general adoption but should be read and interpreted in conjunction with safety, environmental, weights and measures, customs and excise and other regulations in force in the particular country in which they are to be applied. Such regulatory requirements have precedence over corresponding clauses in the EI document except where the requirements of the latter are more rigorous, when its use is recommended. Users should also consider contractual constraints imposed by any other interested party.

Although it is believed that adoption of the recommendations of these guideline will assist the user, the EI cannot accept any responsibility, of whatsoever kind, for damage or alleged damage arising or otherwise occurring where this document has been applied.

Attention is also drawn to the fact that some of the equipment mentioned in the guide is protected by patents throughout the world. The mention of any proprietary information in this guide does not imply its endorsement by the El for any particular application; neither does omission imply rejection.

Users of these guidelines are invited to send comments, suggestions, or details of relevant experience to:

Technical Department Hydrocarbon Management Energy Institute 61 New Cavendish Street London W1G 7AR

United Kingdom www.energyinst.org



Energy Institute 61 New Cavendish Street London W1G 7AR, UK

t: +44 (0) 20 7467 7100 f: +44 (0) 20 7255 1472 e: pubs@energyinst.org www.energyinst.org This publication has been produced as a result of work carried out within the Technical Team of the Energy Institute (EI), funded by the EI's Technical Partners and other stakeholders. The EI's Technical Work Programme provides industry with cost effective, value adding knowledge on key current and future issues affecting those operating in the energy sector, both in the UK and beyond.



ISBN 978 1 78725 442 8 Registered Charity Number: 1097899